

INDEX TO VOLUME 32

AUTHORS INDEX

A

- ABRAMSON, DAVID I., LERNER, DAVID, SHUMACKER, HARRIS B., JR., AND HICK, FORD K. Clinical picture and treatment of the later stage of trench foot, 52
- ALEXANDER, HOWARD. (See Simonson, Alexander, Henschel, and Keys), 202
- ALTURE-WERBER, ERNA. (See Loewe, Rosenblatt, and Altüre-Werber), 327
- ANDERSON, MILTON W., BARKER, NELSON W., AND SELDON, THOMAS H. A clinical evaluation of powdered human blood cells in the treatment of ulcers of the extremities associated with vascular disorders, 754

B

- BAER, SAMUEL. (See Loewenberg and Baer), 653
- BALDWIN, ELEANOR DEF., MOORE, LUCILLE V., NOBLE, ROBERT P. (with technical assistance of PATTERSON, MICHAEELEN, AND HARNBERGER, DORIS M.). The demonstration of ventricular septal defect by means of right heart catheterization, 152
- BARKER, NELSON W. (See Anderson, Barker, and Seldon), 754
- BARKER, PAUL S. (See Wilson, Johnston, Rosenbaum, and Barker), 277
- BEASER, S. B., AND RODRIGUEZ-MOLINA, R. Electrocardiographic changes occurring during treatment with fuadin solution, 634
- BEISSINGER, HEINZ F. (See Weinberg and Beissinger), 665
- BEMBENISTA, J. K. Cor biloculare, 394
- BIÖRCK, GUNNAR. Anoxemia and exercise tests in the diagnosis of coronary disease, 689
- BLAND, EDWARD F. Rheumatic fever and rheumatic heart disease in the North African and Mediterranean Theater of Operations, United States Army, 545
- BOYER, NORMAN H. (See Nay and Boyer), 222
- BROWN, N. WORTH. (See Ellis and Brown), 364
- BURCH, G. E. Influence of variations in atmospheric temperature and humidity on the rates of water and heat loss from the respiratory tract of patients with congestive heart failure living in a subtropical climate, 190

- . The rates of water and heat loss from the respiratory tract of patients with congestive heart failure who were from a subtropical climate and resting in a comfortable atmosphere, 88
- , AND KIMBALL, J. LEROY. Notes on the similarity of QRS complex configurations in the Wolff-Parkinson-White syndrome, 560
- BUTTERWORTH, SCOTT, AND POINDEXTER, CHARLES A. The esophageal electrocardiogram in arrhythmias and tachycardias, 681

C

- CATHCART, RICHARD T. (See Spain and Cathcart), 659
- CLARK, MARDELLE L. (See Eanes, McGill, and Clark), 504
- COFFEN, CHARLES W., AND SCARF, MAXWELL. Acute pericarditis simulating coronary artery occlusion, 515
- COOMBS, F. S. (See Warren, Higley, and Coombs), 311

D

- DELEVETT, ALLEN F., AND POINDEXTER, CHARLES A. Plasma concentrations of quinidine with particular reference to therapeutically effective levels in two cases of paroxysmal nodal tachycardia, 697
- DIPALMA, JOSEPH R., AND MCGOVERN, JOHN J. Disadvantages of thiouracil treatment of angina pectoris, 494
- DONOVAN, MAURICE A. Pain of unusual duration due to progressive coronary occlusion with associated mediastinal tumor, 786

E

- EANES, RICHARD H., MCGILL, KENNETH H., AND CLARK, MARDELLE L. Cardiovascular defects in Selective Service registrants, 504
- EIDLOW, S., AND MACKENZIE, ELEANOR R. Anomalous origin of the left coronary artery from the pulmonary artery; report of a case diagnosed clinically and confirmed by necropsy, 243
- ELLIS, GEORGE M., AND BROWN, N. WORTH. Parasternal leads in tricuspid insufficiency, 364

F

- FASCIOLO, J. C. (See Suárez, Fasciolo, and Taquini), 339
 —. (See Taquini and Fasciolo), 357
 FULTON, FRANK T. (See Zimdahl and Fulton), 117

G

- GEIGER, ARTHUR J., AND GOERNER, JESSAMINE R. A simplified and more standardized technique for recording multiple precordial electrocardiograms, 163
 GERNANDT, B., AND NYLIN, G. The relation between circulation time and the amount of the residual blood of the heart, 411
 GOERNER, JESSAMINE R. (See Geiger and Goerner), 163
 GRANT, HAROLD. (See Reichsman and Grant), 438
 —, AND REICHSMAN, FRANCIS. The effects of the ingestion of large amounts of sodium chloride on the arterial and venous pressures of normal subjects, 704
 GREENE, RALPH C. Combined sulfonamide and diphtheritic myocarditis in cutaneous diphtheria, 250

H

- HARKEN, DWIGHT E., AND ZOLL, PAUL M. Foreign bodies in and in relation to the thoracic blood vessels and heart. III. Indications for the removal of intracardiac foreign bodies and the behavior of the heart during manipulation, 1
 HARNBERGER, DORIS M. (See Baldwin, Moore, Noble, Patterson, and Harnsberger), 152
 HARRIS, RAYMOND. (See Scherf and Harris), 443
 HECHT, HANS H. Potential variations of the right auricular and ventricular cavities in man, 39
 HENSCHL, AUSTIN. (See Simonson, Alexander, Henschel, and Keys), 202
 HEYER, HOWARD E. Abnormalities of the respiratory pattern in patients with cardiac dyspnea, 457
 HICK, FORD K. (See Abramson, Lerner, Shumacker, and Hick), 52
 HIGLEY, C. S. (See Warren, Higley, and Coombs), 311
 HILL, R. F. The construction of the cardiac vector, 72
 HUNT, HOMER H., AND WELLER, CARL V. The syndrome of abdominal aortic aneurysm rupturing into the gastrointestinal tract, 571

J

- JOHNSTON, FRANKLIN D. (See Rosenbaum, Wilson, and Johnston), 135
 —. (See Wilson, Johnston, Rosenbaum, and Barker), 277

- JONES, REVERDY H., JR., AND MOORE, WILLIAM W. Purpuric manifestations of rheumatic fever and acute glomerulonephritis, 529

K

- KEYS, ANCEL. (See Simonson, Alexander, Henschel, and Keys), 202
 KIMBALL, J. LEROY. (See Burch and Kimball), 560

L

- LERNER, DAVID. (See Abramson, Lerner, Shumacker, and Hick), 52
 LINDSAY, STUART. The heart in primary systemic amyloidosis, 419
 LITTMANN, DAVID. Persistence of the juvenile pattern in precordial leads of healthy adult Negroes, with report of electrocardiographic survey on three hundred Negro and two hundred white subjects, 370
 —, AND TARNOWER, HERMAN. Wolff-Parkinson-White syndrome, 100
 LOEWE, LEO, ROSENBLATT, PHILIP, AND ALTURE-WERBER, ERNA. A refractory case of subacute bacterial endocarditis due to *Veillonella gazogenes* clinically arrested by a combination of penicillin, sodium para-aminohippurate, and heparin, 327
 LOEWENBERG, SAMUEL A., AND BAER, SAMUEL. Aneurysm of the descending thoracic aorta, 653
 LOUBE, SAMUEL D. (See Manchester and Loubé), 215

M

- MCGILL, KENNETH H. (See Eanes, McGill, and Clark), 504
 MCGOVERN, JOHN J. (See DiPalma and McGovern), 494
 MACKENZIE, ELEANOR R. (See Eidlow and Mackenzie), 243
 MANCHESTER, BENJAMIN, AND LOUBE, SAMUEL D. The velocity of blood flow in normal pregnant women, 215
 MASTER, ARTHUR M. Right-sided aorta with atypical coarctation involving only the left subclavian artery; hypertension, 778
 MILLER, ISIDORE. (See Russek, Rath, Zohman, and Miller), 468
 MOORE, LUCILLE V. (See Baldwin, Moore, Noble, Patterson, and Harnsberger), 152
 MOORE, WILLIAM W. (See Jones and Moore), 529
 DE MOURA, JOSE PROENCA PINTO. Complete auriculoventricular block and bundle branch block with intercurrent auricular flutter, 794

N

- NAY, RICHARD M., AND BOYER, NORMAN H. Acute pericarditis in young adults, 222
 NOBLE, ROBERT P. (See Baldwin, Moore, Noble, Patterson, and Harnsberger), 152

- NORRIS, ROBERT F., AND POTE, HARRY H. Hypertrophy of the heart of unknown etiology in young adults: report of four cases with autopsies, 599
- NOTH, PAUL H. Electrocardiographic patterns in penetrating wounds of the heart, 713
- NYLIN, G. (See Gernandt and Nylin), 411
- O
- OYSTER, JOSEPH M. (See Tandowsky, Oyster, and Silverglade), 617
- P
- PATTERSON, MICHAEELEN. (See Baldwin, Moore, Noble, Patterson, and Harnsberger), 152
- PAULL, ROSS. The neurovascular syndrome as manifested in the upper extremities, 32
- PENNER, SIDNEY L. (See Peters and Penner), 645
- PETERS, MICHAEL, AND PENNER, SIDNEY L. Orthostatic paroxysmal ventricular tachycardia, 645
- POINDEXTER, CHARLES A. (See Butterworth and Poindexter), 681
- . (See Delevett and Poindexter), 697
- POTE, HARRY H. (See Norris and Pote), 599
- Q
- QUINN, ROBERT W. The incidence of rheumatic fever and heart disease in school children in Dublin, Georgia, with some epidemiological and sociological observations, 234
- R
- RATH, MAURICE M. (See Russek, Rath, Zohman, and Miller), 468
- REICHSMAN, FRANCIS. (See Grant and Reichsman), 704
- , AND GRANT, HAROLD. Some observations on the pathogenesis of edema in cardiac failure, 438
- RODRIGUEZ-MOLINA, R. (See Beaser and Rodriguez-Molina), 634
- ROGERS, H. MILTON. Bilateral pulmonary infarction and pneumothorax complicating hypertensive, coronary heart disease with myocardial infarction: report of a case, 519
- ROSENBAUM, FRANCIS F. (See Wilson, Johnston, Rosenbaum, and Barker), 277
- , WILSON, FRANK N., AND JOHNSTON, FRANKLIN D. The precordial electrocardiogram in high lateral myocardial infarction, 135
- ROSENBLATT, PHILIP. (See Loewe, Rosenblatt, and Altire-Werber), 327
- RUSSEK, HENRY I., RATH, MAURICE M., ZOHMAN, BURTON L., AND MILLER, ISIDORE. The influence of age on blood pressure, 469
- RYTAND, DAVID A. An auricular diastolic murmur with heart block in elderly patients, 579
- S
- SCARF, MAXWELL. (See Coffen and Scarf), 515
- SCHERF, DAVID, AND HARRIS, RAYMOND. Coronary sinus rhythm, 443
- SCHLICHTER, J. G. Studies on the vascularization of the aorta. I. The vascularization of the aorta in the normal dog, 770
- SELDON, THOMAS H. (See Anderson, Barker, and Seldon), 754
- SHUMACKER, HARRIS B. (See Abramson, Lerner, Shumacker, and Hick), 52
- SILVERGLADE, ALEXANDER. (See Tandowsky, Oyster, and Silverglade), 617
- SILVERMAN, JACOB J. The incidence of palpable dorsalis pedis and posterior tibial pulsations in soldiers, 82
- SIMONSON, ERNST, ALEXANDER, HOWARD, HENSCHEL, AUSTIN, AND KEYS, ANCEL. The effect of meals on the electrocardiogram in normal subjects, 202
- SMITH, LESLIE B. Paroxysmal ventricular tachycardia followed by electrocardiographic syndrome, 257
- SPAIN, DAVID M., AND CATHCART, RICHARD T. Heart block caused by fat infiltration of the interventricular septum (cor adiposum), 659
- SUAREZ, J. R. E., FASCILOLO, J. C., AND TAQUINI, A. C. Cardiac output in heart failure, 339
- SUAREZ, RAMON M., AND SUAREZ, RAMON M., JR. The T wave of the precordial electrocardiogram at different age levels, 480
- SUAREZ, RAMON M., JR. (See Suárez and Suárez, Jr.), 480
- SWENSON, ROY E. Parenteral vitamin B as an agent for determining the arm-to-tongue circulation time, 612
- T
- TANDOWSKY, RALPH M., OYSTER, JOSEPH M., AND SILVERGLADE, ALEXANDER. The combined use of lanatoside C and quinidine sulfate in the abolition of established auricular flutter, 617
- TAQUINI, A. C. (See Suárez, Fasciolo, and Taquini), 339
- , AND FASCILOLO, JUAN CARLOS. Renin in essential hypertension, 357
- TARNOWER, HERMAN. (See Littmann and Tarnower), 100
- W
- WARREN, HARRY A., HIGLEY, C. S., AND COOMBS, F. S. The effect of salicylate on acute rheumatic fever, 311
- WEINBERG, TOBIAS, AND BEISSINGER, HEINZ F. Syphilitic gummatous aortitis as the cause of coronary artery ostial stenosis and myocardial infarction, 665
- WELLER, CARL V. (See Hunt and Weller), 571
- WILSON, FRANK N. (See Rosenbaum, Wilson, and Johnston), 135

—, JOHNSTON, FRANKLIN D., ROSENBAUM, FRANCIS F., AND BARKER, PAUL S. On Einthoven's triangle, the theory of unipolar electrocardiographic leads, and the interpretation of the precordial electrocardiogram, 277

WRIGHT, IRVING S. Experiences with dicumaryl (3,3'-methylene-bis-[4-hydroxycoumarin]) in the treatment of coronary thrombosis with myocardial infarction, 20

Y

YOUNG, DENNISON. Electrocardiographic changes occurring during upper respiratory infections, 383

Z

ZIMDAHL, WALTER T., AND FULTON, FRANK T. Transient ventricular fibrillation, 117

ZOHMAN, BURTON L. (See Russek, Rath, Zohman, and Miller), 468

ZOLL, PAUL M. (See Harken and Zoll), 1

SUBJECT INDEX

A

- Abdominal aortic aneurysm rupturing into gastrointestinal tract, syndrome of (Hunt and Weller), 571
- aortic anaphy, retrograde, 406*
- Abnormalities of respiratory pattern in patients with cardiac dyspnea (Heyer), 457
- Acetylcholine, stimulating action of, on heart, 408*
- Acute pericarditis in young adults (Nay and Boyer), 222
- Addison's disease, disturbance of pacemaker and of conduction in, 270*
- Adults, young, acute pericarditis in (Nay and Boyer), 222
- African, North, and Mediterranean Theater of Operations, United States Army, rheumatic fever and rheumatic heart disease in (Bland), 545
- Age, influence of, on blood pressure (Russek et al.), 468
- levels, different, T wave of precordial electrocardiogram at (Suárez and Suárez, Jr.), 480
- Albumin, human, concentrated, in treatment of shock, 672*
- Alcohol in treatment of angina pectoris, 403*
- American Heart Association, expanded program of, for 1947, 679
- Amyloidosis myocardii, 127*
- systemic, primary, heart in (Lindsay), 419
- Anemia, cardiovascular system in, with note on particular abnormality of sickle cell anemia, 270*
- Aneurysm, aortic, abdominal, rupturing into gastrointestinal tract, syndrome of (Hunt and Weller), 571
- arteriovenous, following surgical operations, 805*
- of descending thoracic aorta (Loewenberg and Baer), 653
- ventricular, longevity with; report of case with survival period of fifteen years, 402*
- Aneurysms, traumatic, of extremities, 407*
- Angina pectoris, alcohol in treatment of, 403*
- application to study of; circulatory changes following injection of hypertonic saline solution, 129*
- disadvantages of thiouracil treatment of (DiPalma and MaGovern), 494
- life expectancy in, 269*
- testosterone in, 806*
- Announcements, 133
- Anoxemia and exercise tests in diagnosis of coronary disease (Biörck), 689
- experimental cyanosis and, effects of artificial ductus arteriosus on, 407*
- Aorta, right-sided, with atypical coarctation involving only left subclavian artery; hypertension (Master), 778
- roentgenological picture of coarctation of, and its anatomical basis, 127*
- slowly progressive occlusive thrombosis of abdominal portion of, 127*
- studies on vascularization of; I. Vascularization of aorta in normal dog (Schlichter), 770
- thoracic, descending, aneurysm of (Loewenberg and Baer), 653
- Aortic aneurysm, abdominal, rupturing into gastrointestinal tract, syndrome of (Hunt and Weller), 571
- coarctation, new indirect radiologic sign in diagnosis of, by means of superior retrograde aortography, 274*
- perforation secondary to carcinoma of esophagus, genesis of, 674*
- stenosis due to calcified syphilitic valvulitis, 403*
- valve, bicuspid, diagnosed during life, 401*
- valves, rupture of, due to effort, 273*
- Aortitis, gummatous, syphilitic, as cause of coronary artery ostial stenosis and myocardial infarction (Weinberg and Beissinger), 665
- Aortography, abdominal, retrograde, 406*
- retrograde, superior, new indirect radiologic sign in diagnosis of aortic coarctation by means of, 274*
- Arm-to-tongue circulation time, parenteral vitamin B as agent for determining; Part I (Swenson), 612
- Army, United States, rheumatic fever and rheumatic heart disease in North African and Mediterranean Theater of Operations (Bland), 545
- Arrhythmias, acute, treatment of, during anesthesia by intravenous procaine, 270*
- and tachycardias, esophageal electrocardiogram in (Butterworth and Poindexter), 681
- Arterial and venous pressures of normal subjects, effects of ingestion of large amounts of sodium chloride on (Grant and Reichsman), 704
- disease, peripheral, 125*
- pulse pressure, relation of, to arteriovenous oxygen difference, especially in arterial hypertension, 126*
- Arteriosclerosis obliterans, relation of tobacco smoking to, in diabetes mellitus, 400*
- Arteriovenous aneurysm following surgical operations, 805*

An asterisk () after a page number indicates the reference is an abstract and not an original article.

- Arteriovenous—Cont'd
 oxygen difference, relation of arterial pulse pressure to, especially in arterial hypertension, 126*
- Arteritis, temporal, generalized vascular disease, 406*
- Artery, coronary, left, anomalous origin of, from pulmonary artery; report of case diagnosed clinically and confirmed by necropsy (Eidlow and Mackenzie), 243
 occlusion, acute pericarditis simulating (Coffen and Scarf), 515
 ostial stenosis and myocardial infarction, syphilitic gummatous aortitis as cause of (Weinberg and Beissinger), 665
 pulmonary, anomalous origin of left coronary artery from; report of case diagnosed clinically and confirmed by necropsy (Eidlow and Mackenzie), 243
 subclavian, left, right-sided aorta with atypical coarctation involving only; hypertension (Master), 778
- Atheromatosis in dogs following repeated intravenous injections of hydroxycellulose, 130*
- Atheromatous coronary disease of early onset and parallel course in twins, 403*
- Atherosclerosis for coronary arteries, predilection of, 805*
- Atmosphere, comfortable, rates of water and heat loss from respiratory tract of patients with congestive heart failure who were from subtropical climate and resting in (Burch), 88
- Atmospheric temperature and humidity, influence of variations in, on rates of water and heat loss from respiratory tract of patients with congestive heart failure living in subtropical climate (Burch), 190
- Auricular and ventricular cavities, right, in man, potential variations of (Hecht), 39
 diastolic murmur with heart block in elderly patients (Rytand), 579
 fibrillation in association with congestive failure, quinidine in treatment of, 131*
 flutter, established, combined use of lanatoside C and quinidine sulfate in abolition of (Tandowsky et al.), 617
 intercurrent, complete auriculoventricular block and bundle branch block with (de Moura), 794
 size, left, quantitative roentgenographic method for determination of, 405*
 standstill, 128*
- Auriculoventricular block, complete, and bundle-branch block with intercurrent auricular flutter (de Moura), 794
- Auscultation, cardio-esophageal, 267*
- B
- Bacterial endarteritis, acute, 673*
 endocarditis, subacute, penicillin in: report to Medical Research Council of 147 patients treated in fourteen centers appointed by Penicillin Clinical Trials Committee, 540*
 refractory case of, due to *Veillonella gazogenes* clinically arrested by combination of penicillin, sodium para-aminohippurate, and heparin (Loewe et al.), 327
 results in treatment of, 539*
 treatment of, with penicillin, 130*
- Behavior of heart during manipulation, indications for removal of intracardiac foreign bodies and (III); foreign bodies in and in relation to thoracic blood vessels and heart (Harken and Zoll), 1
- Beriberi heart disease, 542*
- Bicuspid aortic valve diagnosed during life, 401*
- Bilateral pulmonary infarction and pneumothorax complicating hypertensive, coronary heart disease with myocardial infarction (Rogers), 519
- Biloculare, cor (Bembenista), 394
- Biochemical changes, abnormal, in patients with severe, acute medical illnesses, with and without peripheral vascular failure: medical shock, 132*
- Blood cells, human, powdered, clinical evaluation of, in treatment of ulcers of extremities associated with vascular disorders (Anderson et al.), 754
 flow, peripheral, rectal and skin temperature in congestive heart failure: effects of rapid digitalization in this state, 811*
 pulmonary, studies of roentgen density of lungs in humans as measure of, 270*
 renal, decreased, edema and, in patients with chronic congestive heart failure: evidence of "forward failure" as primary cause of edema, 674*
 velocity of, in normal pregnant women (Manchester and Loube), 215
 plasma proteins in patients with heart failure, 539*
 pressure, in pulmonary artery, method for determining, 671*
 influence of age on (Russek et al.), 468
 of hypertensive patients, effect of lowering, by high spinal anesthesia on renal function as measured by inulin and diodrast clearance (VI); studies on hypertension, 408*
- residual, of heart, relation between circulation time and amount of (Gernandt and Nylin), 411
- vessels, coronary, in man, attempt at roentgenologic visualization of, 812*

- Blood vessels—Cont'd
 thoracic, and heart, foreign bodies in and in relation to; III. Indications for removal of intracardiac foreign bodies and behavior of heart during manipulation (Harken and Zell), 1
 volume, cardiac "competence," and exercise, central venous pressure in relation to, 812*
 in clinical shock; II. Extent and cause of blood volume reduction in traumatic hemorrhagic and burn shock, 271*
- Book reviews, 275, 409, 676, 813
- Bundle branch block, complete auriculoventricular block and, with intercurrent auricular flutter (de Moura), 794
- C
- Calcium, magnesium and, influence of, on proprioceptive regulation of arterial pressure, 675*
- Capacity, functional, of heart, practical test for determination of, 402*
- Capillary fragility, increased, new drug for treatment of: rutin, 274*
- Carcinoma of esophagus, genesis of aortic perforation secondary to, 674*
- Cardiac arrest after spinal anesthesia; report of case with recovery, 404*
 "competence," blood volume, and exercise, central venous pressure in relation to, 812*
 enlargement in fever therapy induced by intravenous injection of typhoid vaccine, 271*
 dyspnea, abnormalities of respiratory pattern in patients with (Hoyer), 457
 failure, some observations on pathogenesis of edema in (Reichsman and Grant), 438
 output in heart failure (Suárez et al.), 339
 size of children with rheumatic heart disease, method for measuring (comparison with cardiothoracic index): angles of clearance, 540*
 vector, construction of (Hill), 72
 weight, significance of, in rats with experimental hypertension, 272*
- Cardio-esophageal auscultation, 267*
- Cardiodynamometry: practical test for determination of functional capacity of heart, 402*
- Cardiopathies, congenital, new classification of, 801*
- Cardiovascular defects in Selective Service registrants (Eanes et al.), 504
 rejection rates of Selective Service registrants for (Eanes et al.), 506
 specific diagnostic groups of, in Selective Service registrants (Eanes et al.), 507
 rejectees, occupations of, in Selective Service registrants (Eanes et al.), 511
- Cardiovascular—Cont'd
 rejections in relation to age in Selective Service registrants (Eanes et al.), 510
 renal disease, its prognostic significance in relation to hypertension and: overweight, 804*
 responses to breathing of 100 per cent oxygen at normal barometric pressure, 272*
 syphilis and varicose veins in Selective Service registrants (Eanes et al.), 510
 system in anemia, with note on particular abnormality of sickle cell anemia, 273*
- Cardite reumatica, infeccao reumatica e, 275 (B. Rev.)
- Carotid sinus reflex, hyperactive cardioinhibitory, 543*
- Catheterization, right heart, demonstration of ventricular septal defect by means of (Baldwin et al.), 152
- Cavities, right auricular and ventricular, in man, potential variations of (Hecht), 39
- Children, coronary occlusive disease in infants and, 273*
- Cineroentgenography and electrocardiography, movements of mitro-aortic ring recorded simultaneously by, 270*
- Circulation time and amount of residual blood of heart, relation between (Gerhardt and Nylin), 411
 arm-to-tongue, parenteral vitamin B as agent for determining; Part I (Swenson), 612
 from pulmonary to systemic capillaries, objective method for determining, by use of oximeter, 675*
- Claudication, intermittent, and vascular spasm; I. Is vascular spasm contributory cause of intermittent claudication in patients with structural disease of arteries? 670*
- Clearance, angles of: method for measuring cardiac size of children with rheumatic heart disease (comparison with cardiothoracic index), 540*
- Climate, subtropical, rates of water and heat loss from respiratory tract of patients with congestive heart failure who were from and resting in comfortable atmosphere (Burch), 88
- Clubbed fingers, 268*
- Coagulation of blood, effect of methylxanthines on prothrombin time and, 802*
- Coarctation, atypical, right-sided aorta with, involving only left subclavian artery; hypertension (Master), 778
 of aorta, roentgenological picture of, and its anatomical basis, 127*
- Coma, fainting and, caused by oxygen lack, circulatory changes during, 539*
- Congenital cardiopathies, new classification of, 801*

- Congestive failure, quinidine in treatment of auricular fibrillation in association with, 131*
- heart failure, influence of variations in atmospheric temperature and humidity on rates of water and heat loss from respiratory tract of patients with, living in subtropical climate (Burch), 190
- rates of water and heat loss from respiratory tract of patients with, who were from subtropical climate and resting in comfortable atmosphere (Burch), 88
- Cor adiposum; heart block caused by fat infiltration of interventricular septum (Spain and Cathcart), 659
- biloculare (Bembenista), 394
- pulmonale, chronic, study of, 804*
- Cornell conferences on therapy, 275 (B. Rev.)
- Coronary arteries, predilection of atherosclerosis for, 805*
- artery, left, anomalous origin of, from pulmonary artery; report of case diagnosed clinically and confirmed by necropsy (Eidlow and Mackenzie), 243
- occlusion, acute pericarditis simulating (Coffen and Scarf), 515
- ostial stenosis and myocardial infarction, syphilitic gummatous aortitis as cause of (Weinberg and Beissinger), 665
- circulation, 269*
- disease, anoxemia and exercise tests in diagnosis of (Biörck), 689
- atheromatous, of early onset and parallel course in twins, 403*
- heart disease, hypertensive, with myocardial infarction, bilateral pulmonary infarction and pneumothorax complicating (Rogers), 519
- occlusion in Negroes, 400*
- progressive, with associated mediastinal tumor, pain of unusual duration due to (Donovan), 786
- occlusive disease in infants and children, 273*
- sinus rhythm (Scherf and Harris), 443
- thrombosis with myocardial infarction, experiences with dicumarol (3,3' methylene - bis - [4 - hydroxycoumarin]) in treatment of (Wright), 20
- Cutaneous diphtheria, combined sulfonamide and diphtheritic myocarditis in (Greene), 250
- Cyanosis, experimental, and anoxemia, effects of artificial ductus arteriosus on, 407*
- D
- Defect, ventricular septal, demonstration of, by means of right heart catheterization (Baldwin et al.), 152
- Defects, cardiovascular, in Selective Service registrants (Eanes et al.), 504
- Diabetes mellitus, relation of tobacco smoking to arteriosclerosis obliterans in, 400*
- Diastolic murmur, auricular, with heart block in elderly patients (Rytand), 579
- Dicumarol (3,3' methylene-bis-[4-hydroxycoumarin]), experiences with, in the treatment of coronary thrombosis with myocardial infarction (Wright), 20
- use of, diagnostic and therapeutic indications; serial prothrombin estimations in cardiac patients, 268*
- Digitalization, rapid, effects of, in this state: peripheral blood flow, rectal and skin temperature in congestive heart failure, 811*
- Diodrast clearance, inulin and, effect of lowering blood pressures of hypertensive patients by high spinal anesthesia on renal function as measured by (VI); studies on hypertension, 408*
- Diphtheria, cutaneous, combined sulfonamide and diphtheritic myocarditis in (Greene), 250
- Diphtheritic myocarditis, combined sulfonamide and, in cutaneous diphtheria (Greene), 250
- Dorsalis pedis, palpable, and posterior tibial pulsations, incidence of, in soldiers (Silverman), 82
- Ductus arteriosus, artificial, effects of, on experimental cyanosis and anoxemia, 407*
- Dyspnea, cardiac, abnormalities of respiratory pattern in patients with (Heyer), 457
- E
- Edema and decreased renal blood flow in patients with chronic congestive heart failure: evidence of "forward failure" as primary cause of edema, 674*
- in cardiac failure, some observations on pathogenesis of (Reichsman and Grant), 438
- Einthoven's triangle (Wilson et al.), 277
- theory of unipolar electrocardiographic leads, and interpretation of precordial electrocardiogram (Wilson et al.), 277
- Electrical currents, some results of recording, from right auricle and ventricle by direct intracavity lead, 401*
- Electrocardiogram, esophageal, in arrhythmias and tachycardias (Butterworth and Poindexter), 681
- in hypoxemic state, newer investigations on, 809*

- Electrocardiogram—Cont'd
 in normal subjects, effect of meals on (Simonson et al.), 202
 in toxemias of pregnancy, 673*
 normal and pathological P-Q time of, 127*
 precordial, in high lateral myocardial infarction (Rosenbaum et al.), 135
 interpretation of (Wilson et al.), 293
 on Einthoven's triangle, theory of unipolar electrocardiographic leads, and interpretation of (Wilson et al.), 277
 T wave of, at different age levels (Suárez and Suárez, Jr.), 480
- Electrocardiograms, multiple precordial, simplified and more standardized technique for recording (Geiger and Goerner), 163
- Electrocardiographic changes occurring during treatment with fuadin solution (Beaser and Rodriguez-Molina), 634
 during upper respiratory infections (Young), 383
 findings, clinical analysis of primary atypical pneumonia, with discussion of, 542*
 interpretation, 409 (B. Rev.)
 leads, unipolar, theory of, Einthoven's triangle, and interpretation of precordial electrocardiogram (Wilson et al.), 277
 manifestation, unusual, of intra-auricular dissociation in pair of identical twins, 128*
 patterns in penetrating wounds of heart (Noth), 713
 survey on three hundred Negro and two hundred white subjects, persistence of juvenile pattern in precordial leads of healthy adult Negroes, with report of (Littmann), 370
 syndrome, paroxysmal ventricular tachycardia followed by (Smith), 257
- Electrocardiography, 409 (B. Rev.)
 following exercise, peculiar conduction disturbance persisting latently after recovery from complete heart block and disclosed only by, 128*
 in practice, 676 (B. Rev.)
 movements of mitro-aortic ring recorded simultaneously by cinerentgenography and, 270*
- Elektrokardiogramm, Beitrag zur Beurteilung des runden Überganges von R und ST Strecke in, 132*
- Elektrokymograph for recording heart motion utilizing the roentgenoscope, 399*
- Elderly patients, auricular diastolic murmur with heart block in (Rytand), 579
- Embolism, thrombosis and, 125*
- Endarteritis, bacterial, acute, 673*
- Endocardial sclerosis in infants and children, 810*
- Endocarditis, bacterial, subacute, complicated by pregnancy, successfully treated with penicillin, 399*
- Endocarditis, bacterial, subacute—Cont'd
 refractory case of, due to *Veillonella gazogenes* clinically arrested by combination of penicillin, sodium para-aminohippurate, and heparin (Loewe et al.), 327
 results in treatment of, 539*
 treatment of, with penicillin, 130*
 meningococcus, 274*
- Epidemiological and sociological observations, some, incidence of rheumatic fever and heart disease in school children in Dublin, Georgia, with (Quinn), 234
- Esophageal electrocardiogram in arrhythmias and tachycardias (Butterworth and Poindexter), 681]
- Essential hypertension, renin in (Taquini and Fasciolo), 357
- Esters, synthetic, of strophanthidin, acetate, propionate, butyrate, and benzoate, behavior of, in man, 126*
- Exercise, cardiac "competence," blood volume, and, central venous pressure in relation to, 812*
 tests, anoxemia and, in diagnosis of coronary disease (Börck), 689
- Extremities, ulcers of, associated with vascular disorders, clinical evaluation of powdered human blood cells in treatment of (Anderson et al), 754
 upper, neurovascular syndrome as manifested in (Paull), 32
- Extremity, lower, varicosities of, 810*
- F
- Failure, cardiac, some observations on pathogenesis of edema in (Reichsman and Grant), 438
 heart, cardiac output in (Suárez et al.), 339
- Fainting and coma caused by oxygen lack, circulatory changes during, 539*
- Fat infiltration of interventricular septum (cor adiposum), heart block caused by (Spain and Cathcart), 659
- Fever, rheumatic, acute, effect of salicylate on (Warren et al.), 311
 and heart disease, incidence of, in school children in Dublin, Georgia, with some epidemiological and sociological observations (Quinn), 234
 therapy induced by intravenous injection of typhoid vaccine, cardiac enlargement in, 271*
- Fibrillation, transient ventricular (Zimdahl and Fulton), 117
- Fingers, clubbed, 268*
- Flutter, auricular, established, combined use of lanatoside C and quinidine sulfate in abolition of (Tandowsky et al.), 617
 intercurrent, complete auriculoventricular block and bundle branch block with (de Moura), 794

- Foreign bodies in and in relation to thoracic blood vessels and heart; III. Indications for removal of intracardiac foreign bodies and behavior of heart during manipulation (Harken and Zoll), 1
- Fuadin solution, electrocardiographic changes occurring during treatment with (Beaser and Rodriguez-Molina), 634

G

- Gaskell effect, study of, 673*
- Gastrointestinal tract, syndrome of abdominal aortic aneurysm rupturing into (Hunt and Weller), 571
- Gazogenes*, *Veillonella*, refractory case of subacute bacterial endocarditis due to, clinically arrested by combination of penicillin, sodium para-aminohippurate, and heparin (Loewe et al.), 327
- Georgia, Dublin, incidence of rheumatic fever and heart disease in school children in, with some epidemiological and sociological observations (Quinn), 234
- Glomerulonephritis, acute, purpuric manifestations of rheumatic fever and (Jones and Moore), 529
- Gummatous aortitis, syphilitic, as cause of coronary artery ostial stenosis and myocardial infarction (Weinberg and Beissinger), 665

H

- Heart block, auricular diastolic murmur with, in elderly patients (Rytand), 579
- caused by fat infiltration of interventricular septum (cor adiposum) (Spain and Cathcart), 659
- complete, peculiar conduction disturbance persisting latently after recovery from, and disclosed only by electrocardiography following exercise, 128*
- disease, beriberi, 542*
- coronary, hypertensive, with myocardial infarction, bilateral pulmonary infarction and pneumothorax complicating (Rogers), 519
- incidence of rheumatic fever and, in school children in Dublin, Georgia, with some epidemiological and sociological observations (Quinn), 234
- rheumatic, gross vascularity of mitral valve as stigma of, 131*
- rheumatic fever and, in North African and Mediterranean Theater of Operations, United States Army (Bland), 545
- valvular, effect of salicylate on (Warren et al.), 329
- electrocardiographic patterns in penetrating wounds of (Noth), 713

Heart—Cont'd

- failure, blood plasma proteins in patients with, 539*
- cardiac output in (Suárez et al.), 339
- congestive, influence of variations in atmospheric temperature and humidity on rates of water and heat loss from respiratory tract of patients with, living in subtropical climate (Burch), 190
- low-sodium diet and free fluid intake in treatment of, 404*
- peripheral blood flow, rectal and skin temperature in: effects of rapid digitalization in this state, 811*
- proteinuria of effort and its significance in diagnosis of, 802*
- rates of water and heat loss from respiratory tract of patients with, who were from subtropical climate and resting in comfortable atmosphere (Burch), 88
- fluids in, 803*
- foreign bodies in and in relation to thoracic blood vessels and; III. Indications for removal of intracardiac foreign bodies and behavior of heart during manipulation (Harken and Zoll), 1
- functional capacity of, practical test for determination of, 402*
- hypertrophy of, of unknown etiology in young adults: report of four cases with autopsies (Norris and Pote), 599
- in primary systemic amyloidosis (Lindsay), 419
- motion, electrokymograph for recording, utilizing roentgenoscope, 399*
- relation between circulation time and amount of residual blood of (Gernandt and Nylin), 411
- right, catheterization, demonstration of ventricular septal defect by means of (Baldwin et al.), 152
- stimulating action of acetylcholine on, 408*
- weight; II. Effect of tuberculosis on heart weight, 674*
- Heat loss, water and, from respiratory tract of patients with congestive heart failure living in subtropical climate, influence of variations in atmospheric temperature and humidity on (Burch), 190
- water and, loss, rates of, from respiratory tract of patients with congestive heart failure who were from subtropical climate and resting in comfortable atmosphere (Burch), 88
- Heparin, penicillin, sodium para-aminohippurate, and, refractory case of subacute bacterial endocarditis due to *Veillonella gazogenes* clinically arrested by combination of (Loewe et al.), 327
- therapy in acute venous thrombosis, 400*

- Human blood cells, powdered, clinical evaluation of, in treatment of ulcers of extremities associated with vascular disorders (Anderson et al.), 754
- Humidity, influence of variations in atmospheric temperature and, on rates of water and heat loss from respiratory tract of patients with congestive heart failure living in subtropical climate (Burch), 190
- Hydroxycellulose, atheromatosis in dogs following repeated intravenous injections of, 130*
- Hypertension and cardiovascular renal disease, its prognostic significance in relation to: overweight, 804*
- arterial, relation of arterial pulse pressure to arteriovenous oxygen difference, especially in, 126*
- selection of patients with, for treatment by repeated injections of pitressin, 866*
- essential, analysis of surgical failures and fatalities following thoracolumbar sympathectomy for, 805*
- renin in (Taquini and Fasciolo), 357
- splenorenopexy in, 407*
- experimental, significance of cardiac weight in rats with, 272*
- right-sided aorta with atypical coarctation involving only left subclavian artery (Master), 778
- some effects of rice diet treatment of kidney disease and, 808*
- studies on; VI. Effect of lowering blood pressures of hypertensive patients by high spinal anesthesia on renal function as measured by inulin and diodrast clearance, 408*
- unilateral renal, present status of, 130*
- Hypertensive, coronary heart disease with myocardial infarction, bilateral pulmonary infarction and pneumothorax complicating (Rogers), 519
- patient, selection of, for sympathectomy, 267*
- Hypertrophy of heart of unknown etiology in young adults: report of four cases with autopsies (Norris and Pote), 599
- Hypothyroidism and mild myxedema from thiocyanate intoxication, 811*
- Hypoxemic state, newer investigations on electrodiagram in, 809*
- I
- Iliac veins, ligation of inferior vena cava or; report of 136 operations, 807*
- Infant, paroxysmal nodal tachycardia in, 808*
- Infants and children, coronary occlusive disease in, 273*
- Infarction, high lateral myocardial, precordial electrocardiogram in (Rosenbaum et al.), 135
- Infarction—Cont'd
- myocardial, bilateral pulmonary infarction and pneumothorax complicating hypertensive, coronary heart disease with (Rogers), 519
- experiences with dicumarol (3,3' methylene-bis-[4-hydroxycoumarin]) in treatment of coronary thrombosis with (Wright), 20
- syphilitic gummatous aortitis as cause of coronary artery ostial stenosis and (Weinberg and Beissinger), 665
- pulmonary, bilateral, and pneumothorax complicating hypertensive, coronary heart disease with myocardial infarction (Rogers), 519
- Infeccao reumatica e cardite reumatica, 275 (B. Rev.)
- Infections, respiratory, upper, electrocardiographic changes occurring during (Young), 383
- Inflammations, scarifying, calcifying, of pericardial sac, and results of operative management, on, 809*
- Ingestion of large amounts of sodium chloride, effects of, on arterial and venous pressures of normal subjects (Grant and Reichsman), 704
- Innervation of veins; its role in pain, venospasm, and collateral circulation, 671*
- Insufficiency, tricuspid, parasternal leads in (Ellis and Brown), 364
- Interventricular septum (cor adiposum), heart block caused by fat infiltration of (Spain and Cathcart), 659
- Intra-auricular dissociation in pair of identical twins, unusual electrocardiographic manifestation of, 128*
- Intracardiac foreign bodies, indications for removal of, and behavior of heart during manipulation (III); foreign bodies in and in relation to thoracic blood vessels and heart (Harken and Zoll), 1
- Inulin and diodrast clearance, effect of lowering blood pressures of hypertensive patients by high spinal anesthesia on renal function as measured by (VI); studies on hypertension, 408*
- J
- Juvenile pattern, persistence of, in precordial leads of healthy adult Negroes, with report of electrocardiographic survey on three hundred Negro and two hundred white subjects (Littmann), 370
- K
- Kidney disease and hypertension, some effects of rice diet treatment of, 808*

L

- Lanatoside C and quinidine sulfate, combined use of, in abolition of established auricular flutter (Tandowsky et al.), 617
- Lead, intracavity, direct, some results of recording electrical currents from right auricle and ventricle by, 401*
- Leads, electrocardiographic, unipolar, theory of, Einthoven's triangle, and interpretation of precordial electrocardiogram (Wilson et al.), 277
- parasternal, in tricuspid insufficiency (Ellis and Brown), 364
- precordial, of healthy adult Negroes, persistence of juvenile pattern in, with report of electrocardiographic survey on three hundred Negro and two hundred white subjects (Littmann), 370
- Left coronary artery, anomalous origin of, from pulmonary artery; report of case diagnosed clinically and confirmed by necropsy (Eidlow and Mackenzie), 243
- Letters, 397
- Life expectancy in angina pectoris, 269*
- Lumbar sympathectomy for chronic leg ulcers, 405*
- Lupus erythematosus disseminatus and related diseases, pathogenetic studies on, 126*
- Lymphedema of arm, post-operative, prevention and treatment of, 672*

M

- Magnesium and calcium, influence of, on proprioceptive regulation of arterial pressure, 675*
- Manipulation, indications for removal of intracardiac foreign bodies and behavior of heart during (III); foreign bodies in and in relation to thoracic blood vessels and heart (Harken and Zoll), 1
- Meals, effect of, on electrocardiogram in normal subjects (Simonson et al.), 202
- Mediastinal tumor, associated, pain of unusual duration due to progressive coronary occlusion with (Donovan), 786
- Medical and surgical treatment of trench foot (Abramson et al.), 61
- shock: abnormal biochemical changes in patients with severe, acute medical illnesses, with and without peripheral vascular failure, 132*
- Mediterranean, North African and, Theater of Operations, United States Army, rheumatic fever and rheumatic heart disease in (Bland), 545
- Meningococcus endocarditis, 274*

- 3,3'Methylene-bis-(4-hydroxycoumarin), experiences with, in treatment of coronary thrombosis with myocardial infarction (Wright), 20
- Methylxanthines, effect of, on prothrombin time and coagulation of blood, 802*
- Mitral valve, gross vascularity of, as stigma of rheumatic heart disease, 131*
- Mitro-aortic ring, movements of, recorded simultaneously by cinerentgenography and electrocardiography, 276*
- Multiple precordial electrocardiograms, simplified and more standardized technique for recording (Geiger and Goerner), 163
- Murmur, diastolic, auricular, with heart block in elderly patients (Rytand), 579
- Myocardial infarction, bilateral pulmonary infarction and pneumothorax complicating hypertensive, coronary heart disease with (Rogers), 519
- experiences with dicumarol (3,3'methylene-bis-[4-hydroxycoumarin]) in treatment of coronary thrombosis with (Wright), 20
- high lateral, precordial electrocardiogram in (Rosenbaum et al.), 135
- syphilitic gummatous aortitis as cause of coronary artery ostial stenosis and (Weinberg and Beissinger), 665
- Myocardii, amyloidosis, 127*
- Myocarditis, combined sulfonamide and diphtheritic, in cutaneous diphtheria (Greene), 250
- Myxedema, mild, hypothyroidism and, from thiocyanate intoxication, 811*

N

- Negroes, adult, healthy, persistence of juvenile pattern in precordial leads of, with report of electrocardiographic survey on three hundred Negro and two hundred white subjects (Littmann), 370
- coronary occlusion in, 406*
- Neurocirculatory asthenia, effect of exercise on soldiers with, 671*
- syndrome (neurocirculatory asthenia), in soldiers, 126*
- Neurovascular syndrome as manifested in upper extremities (Paull), 32
- Newborn, rubella in pregnancy causing malformations in, 131*
- Nodal tachycardia, paroxysmal, plasma concentrations of quinidine with particular reference to therapeutically effective levels in two cases of (Delevett and Poindexter), 697
- Normal pregnant women, velocity of blood flow in (Manchester and Loubé), 215
- subjects, effect of meals on electrocardiogram in (Simonson et al.), 202

Normal subjects—Cont'd

effects of ingestion of large amounts of sodium chloride on arterial and venous pressures of (Grant and Reichsman), 704

North African and Mediterranean Theater of Operations, United States Army, rheumatic fever and rheumatic heart disease in (Bland), 545

O

Obliteration, venous, collateral channels in, 807*

Occlusion, coronary artery, acute pericarditis simulating (Coffen and Scarf), 515
progressive, with associated mediastinal tumor, pain of unusual duration, due to (Donovan), 786

Orthostatic paroxysmal ventricular tachycardia (Peters and Penner), 645

Ostial stenosis, coronary artery, and myocardial infarction, syphilitic gummatous aortitis as cause of (Weinberg and Beissinger), 665

Output, cardiac, in heart failure (Suárez et al.), 339

Overweight: its prognostic significance in relation to hypertension and cardiovascular renal disease, 804*

Oximeter, objective method for determining circulation time from pulmonary to systemic capillaries by use of, 675*

Oxygen difference, arteriovenous, relation of arterial pulse pressure to, especially in arterial hypertension, 126*

100 per cent, cardiovascular responses to breathing of, at normal barometric pressure, 272*

P

Pain of unusual duration due to progressive coronary occlusion with associated mediastinal tumor (Donovan), 786

Palpable dorsalis pedis and posterior tibial pulsations, incidence of, in soldiers (Silverman), 82

Para-aminohippurate, sodium, penicillin, and heparin, refractory case of subacute bacterial endocarditis due to *Veillonella gazogenes* clinically arrested by combination of (Loewe et al.), 327

Parasternal leads in tricuspid insufficiency (Ellis and Brown), 364

Parenteral vitamin B as agent for determining arm-to-tongue circulation time; Part I (Swenson), 612

Paroxysmal nodal tachycardia, plasma concentrations of quinidine with particular reference to therapeutically effective levels in two cases of (Delevett and Poindexter), 697

Paroxysmal—Cont'd

ventricular tachycardia followed by electrocardiographic syndrome (Smith), 257

orthostatic (Peters and Penner), 645

Pathogenesis of edema in cardiac failure, some observations on (Reichsman and Grant), 438

Patterns, electrocardiographic, in penetrating wounds of heart (Noth), 713

Pedis, palpable dorsalis, and posterior tibial pulsations, incidence of, in soldiers (Silverman), 82

Penicillin in subacute bacterial endocarditis: report to Medical Research Council of 147 patients treated in fourteen centers appointed by Penicillin Clinical Trials Committee, 540*

observations of treatment of scarlet fever with, 132*

sodium para-aminohippurate, and heparin, refractory case of subacute bacterial endocarditis due to *Veillonella gazogenes* clinically arrested by combination of (Loewe et al.), 327

subacute bacterial endocarditis complicated by pregnancy, successfully treated with, 399*

treatment of bacterial endocarditis with, 130*

Pericardial sac, on calcifying, scarifying inflammations of, and results of operative management, 809*

Pericarditis, acute, in young adults (Nay and Boyer), 222

simulating coronary artery occlusion (Coffen and Scarf), 515

Peripheral arterial diseases, 125*

Phonocardiographie, auscultation collective (acoustique—technique—clinique), 676 (B. Rev.)

Pitressin, selection of patients with arterial hypertension for treatment by repeated injections of, 806*

Plasma concentrations of quinidine with particular reference to therapeutically effective levels in two cases of paroxysmal nodal tachycardia (Delevett and Poindexter), 697

Pneumonia, atypical, primary, clinical analysis of, with discussion of electrocardiographic findings, 542*

Pneumonitis, non-suppurative post-streptococcal (rheumatic), 541*

occurring in rheumatic fever, 807*

Pneumothorax, bilateral pulmonary infarction and, complicating hypertensive, coronary heart disease with myocardial infarction (Rogers), 519

Posterior tibial pulsations, incidence of palpable dorsalis pedis and, in soldiers (Silverman), 82

- Potential variations of right auricular and ventricular cavities in man (Hecht), 39
- P-Q time, normal and pathological, of electrocardiogram, 127*
- Precordial electrocardiogram in high lateral myocardial infarction (Rosenbaum et al.), 135
interpretation of (Wilson et al.), 293
on Einthoven's triangle, theory of unipolar electrocardiographic leads and interpretation of (Wilson et al.), 277
T wave of, at different age levels (Suarez and Suarez, Jr.), 480
electrocardiograms, multiple, simplified and more standardized technique for recording (Geiger and Goerner), 163
leads of healthy adult Negroes, persistence of juvenile pattern in, with report of electrocardiographic survey on three hundred Negro and two hundred white subjects (Littmann), 370
- Pregnancy, electrocardiogram in toxemias of, 673*
rubella in, causing malformations in newborn, 131*
subacute bacterial endocarditis complicated by, successfully treated with penicillin, 399*
women, normal, velocity of blood flow in (Manchester and Loube), 215
- Pressure, intravascular and extravascular, in Valsalva's experiment, 801*
- Pressures, arterial and venous, of normal subjects, effects of ingestion of large amounts of sodium chloride on (Grant and Reichsman), 704
- Procaine, intravenous, treatment of acute arrhythmias during anesthesia by, 270*
- Proteinuria of effort and its significance in diagnosis of congestive heart failure, 802*
- Prothrombin estimations, serial, in cardiac patients; diagnostic and therapeutic indications, use of dicumarol, 268*
time and coagulation of blood, effect of methylxanthines on, 802*
- Pulmonary artery, anomalous origin of left coronary artery from; report of case diagnosed clinically and confirmed by necropsy (Eidlow and Mackenzie), 243
method for determining blood pressure in, 671*
thromboangiitis of pulmonary vessels associated with aneurysm of; report of case, 809*
infarction, bilateral, and pneumothorax complicating hypertensive, coronary heart disease with myocardial infarction (Rogers), 519
- Pulsations, palpable dorsalis pedis and posterior tibial, incidence of, in soldiers (Silverman), 82
- Pulse pressure, arterial, relation of, to arteriovenous oxygen difference, especially in arterial hypertension, 126*
- Purpuric manifestations of rheumatic fever and acute glomerulonephritis (Jones and Moore), 529
- ### Q
- QRS complex configurations in Wolff-Parkinson-White syndrome, notes on similarity of (Burch and Kimball), 560
- Quinidine in treatment of auricular fibrillation in association with congestive failure, 131*
plasma concentrations of, with particular reference to therapeutically effective levels in two cases of paroxysmal nodal tachycardia (Delevett and Poindexter), 697
sulfate, combined use of lanatoside C and, in abolition of established auricular flutter (Tandowsky et al.), 617
- ### R
- R und ST Strecke in Elektrokardiogramm, Beitrag zur Beurteilung des Überganges von, 132*
- Reconditioning program for patients with trench foot (Abramson et al.), 67
- Recording multiple precordial electrocardiograms, simplified and more standardized technique for (Geiger and Goerner), 163
- Renal hypertension, unilateral, present status of, 130*
- Renin in essential hypertension (Taquini and Fasciolo), 357
- Residual blood of heart, relation between circulation time and amount of (Gernandt and Nylin), 411
- Respiratory infections, upper, electrocardiographic changes occurring during (Young), 383
pattern, abnormalities of, in patients with cardiac dyspnea (Heyer), 457
tract of patients with congestive heart failure living in subtropical climate, influence of variations in atmospheric temperature and humidity on rates of water and heat loss from (Burch), 190
of patients with congestive heart failure who were from subtropical climate and resting in comfortable atmosphere, rates of water and heat loss from (Burch), 88
- Reumatica, cardite, infeccao reumatica e, 275 (B. Rev.)

- Rheumatic fever, acute, effect of salicylate on (Warren et al.), 311
- and acute glomerulonephritis, purpuric manifestations of (Jones and Moore), 529
 - and heart disease, incidence of, in school children in Dublin, Georgia, with some epidemiological and sociological observations (Quinn), 234
 - and rheumatic heart disease in North African and Mediterranean Theater of Operations, United States Army (Bland), 545
 - and rheumatoid arthritis, value of Speransky's method of spinal pumping in treatment of, 129*
 - in Naval enlisted personnel; III. Physiologic and toxic effects of intensive salicylate therapy in acute cases, 401*
 - pneumonitis occurring in, 807*
 - treatment of, by roentgen ray irradiation, 670*
- heart disease, gross vascularity of mitral valve as stigma of, 131*
- method for measuring cardiac size of children with (comparison with cardiothoracic index): angles of clearance, 540*
 - rheumatic fever and, in North African and Mediterranean Theater of Operations, United States Army (Bland), 545
- pneumonitis, non-suppurative post-streptococcal, 541*
- Rheumatoid arthritis, value of Speransky's method of spinal pumping in treatment of rheumatic fever and, 129*
- Rhythm, sinus, coronary (Scherf and Harris), 443
- Rice diet treatment of kidney disease and hypertension, some effects of, 808*
- Right heart catheterization, demonstration of ventricular septal defect by means of (Baldwin et al.), 152
- Roentgen density of lungs, study of, in humans as measure of pulmonary blood flow, 270*
- ray irradiation, treatment of rheumatic fever by, 670*
- Roentgenographic method, quantitative, for determination of left auricular size, 405*
- Roentgenologic visualization of coronary blood vessels in man, an attempt at, 812*
- Rubella in pregnancy causing malformations in newborn, 131*
- Rupture of aortic valves due to effort, 273*
- Rutin: new drug for treatment of increased capillary fragility, 274*
- S
- Salicylate, effect of, on acute rheumatic fever (Warren et al.), 311
- on fever (Warren et al.), 318
 - on pericarditis (Warren et al.), 322
 - on polycyclic attacks (Warren et al.), 319
 - on P-R interval (Warren et al.), 323
 - on sedimentation rate (Warren et al.), 315
 - on valvular heart disease (Warren et al.), 320
- therapy, intensive, physiologic and toxic effects of, in acute cases (III): rheumatic fever in Naval enlisted personnel, 401*
 - toxicity: probable mechanism of its action, 272*
- Saline solution, hypertonic, circulatory changes following injection of; application to study of angina pectoris, 129*
- Scarlet fever, observations on treatment of, with penicillin, 132*
- School children in Dublin, Georgia, incidence of rheumatic fever and heart disease in, with some epidemiological and sociological observations (Quinn), 234
- Sclerosis, endocardial, in infants and children, 810*
- vascular, peripheral, sympathectomy in, 802*
- Sedimentation rate, effect of salicylate on (Warren et al.), 315
- Selective Service registrants, cardiovascular defects in (Eanes et al.), 504
- Septal defect, ventricular, demonstration of, by means of right heart catheterization (Baldwin et al.), 152
- Sickle cell anemia, cardiovascular system in anemia, with note on particular abnormality of, 273*
- Sinus reflex, carotid, hyperactive cardioinhibitory, 543*
- rhythm, coronary (Scherf and Harris), 443
- Shock, clinical, blood volume in; II. Extent and cause of blood volume reduction in traumatic hemorrhagic and burn shock, 271*
- concentrated human albumin in treatment of, 672*
 - medical: abnormal biochemical changes in patients with severe, acute medical illnesses, with and without peripheral vascular failure, 132*
- Smoking, tobacco, relation of, to arteriosclerosis obliterans in diabetes mellitus, 400*
- Sociological observations, some epidemiological and, incidence of rheumatic fever and heart disease in school children in Dublin, Georgia, with (Quinn), 234

- Sodium Chloride, effects of ingestion of large amounts of, on arterial and venous pressures of normal subjects (Grant and Reichsman), 704
- low-, diet and free fluid intake in treatment of congestive heart failure, 404*
- para-aminohippurate, penicillin, and heparin, refractory case of subacute bacterial endocarditis due to *Veillonella gazogenes* clinically arrested by combination of (Loewe et al.), 327
- Soldiers, incidence of palpable dorsalis pedis and posterior tibial pulsations in (Silverman), 82
- Spinal anesthesia, cardiac arrest after; report of case with recovery, 404*
- high, effect of lowering blood pressures of hypertensive patients by, on renal function as measured by inulin and diodrast clearance (VI); studies on hypertension, 408*
- pumping, value of Speransky's method of, in treatment of rheumatic fever and rheumatoid arthritis, 129*
- Splenorenopexy in essential hypertension, 407*
- ST Strecke, Beitrag zur Beurteilung des runden Überganges von R und, in Elektrokardiogramm, 132*
- Stenosis, aortic, due to calcified, syphilitic valvulitis, 403*
- ostial, coronary artery, and myocardial infarction, syphilitic gummatous aortitis as cause of (Weinberg and Beissinger), 665
- Strophanthidin, behavior of synthetic esters of, acetate, propionate, butyrate, and benzoate in man, 126*
- Subclavian artery, left, right-sided aorta with atypical coarctation involving only; hypertension (Master), 778
- Subtropical climate, influence of variations in atmospheric temperature and humidity on rates of water and heat loss from respiratory tract of patients with congestive heart failure living in (Burch), 190
- rates of water and heat loss from respiratory tract of patients with congestive heart failure who were from and resting in comfortable atmosphere (Burch), 88
- Sulfonamide and diphtheritic myocarditis, combined, in cutaneous diphtheria (Greene), 250
- Surgical, medical and, treatment of trench foot (Abramson et al.), 61
- Sympathectomy in peripheral vascular sclerosis, 802*
- lumbar, for chronic leg ulcers, 405*
- selection of hypertensive patients for, 267*
- thoracolumbar, for essential hypertension, analysis of surgical failures and fatalities following, 805*
- Sympathetic blocks, repeated; limitation and value, 407*
- Syndrome, electrocardiographic, paroxysmal ventricular tachycardia followed by (Smith), 257
- neurocirculatory syndrome (neurocirculatory asthenia) in soldiers, 126*
- neurovascular, as manifested in upper extremities (Paull), 32
- of abdominal aortic aneurysm rupturing into gastrointestinal tract (Hunt and Weller), 571
- Wolff-Parkinson-White (Littmann and Tarnower), 100
- notes on similarity of QRS complex configurations in (Burch and Kimball), 560
- Synthetic esters of strophanthidin, acetate, propionate, butyrate, and benzoate, behavior of, in man, 126*
- Syphilitic gummatous aortitis as cause of coronary artery ostial stenosis and myocardial infarction (Weinberg and Beissinger), 665
- Systemic amyloidosis, primary, heart in (Lindsay), 419

T

- T wave of precordial electrocardiogram at different age levels (Suárez and Suárez, Jr.), 480
- Tachycardia, nodal, paroxysmal, in infant, 808*
- plasma concentrations of quinidine with particular reference to therapeutically effective levels in two cases of (Delevett and Poindexter), 697
- ventricular, paroxysmal, followed by electrocardiographic syndrome (Smith), 257
- orthostatic (Peters and Penner), 645
- Tachycardias, esophageal electrocardiogram in arrhythmias and (Butterworth and Poindexter), 681
- Technique, simplified and more standardized, for recording multiple precordial electrocardiograms (Geiger and Goerner), 163
- Temperature, atmospheric, and humidity, influence of variations in, on rates of water and heat loss from respiratory tract of patients with congestive heart failure living in subtropical climate (Burch), 190
- rectal and skin, peripheral blood flow, in congestive heart failure: effects of rapid digitalization in this state, 811*
- Temporal arteritis: generalized vascular disease, 406*
- Testosterone in angina pectoris, 806*
- Therapy, Cornell conferences on, 275 (B. Rev.)
- Thiocyanate intoxication, hypothyroidism and mild myxedema from, 811*

- Thiouracil treatment of angina pectoris, disadvantages of (DiPalma and Ma-Govern), 494
- Thoracic aorta, descending, aneurysm of (Loewenberg and Baer), 653
- blood vessels and heart, foreign bodies in and in relation to; III. Indications for removal of intracardiac foreign bodies and behavior of heart during manipulation (Harken and Zoll), 1
- Thoracolumbar sympathectomy for essential hypertension, analysis of surgical failures and fatalities following, 805*
- Thromboangiitis of pulmonary vessels associated with aneurysm of pulmonary artery: report of case, 809*
- Thrombosis and embolism, 125*
- coronary, with myocardial infarction, experiences with dicumarol (3,3'-methylene-bis-[4-hydroxycoumarin]) in treatment of (Wright), 20
- slowly progressive occlusive, of abdominal portion of aorta, 127*
- venous, acute, heparin therapy in, 400*
- Tibial pulsations, posterior, incidence of palpable dorsalis pedis and, in soldiers (Silverman), 82
- Time, circulation, and amount of residual blood of heart, relation between (Germandt and Nylin), 411
- Toxicity, salicylate: probable mechanism of its action, 272*
- Tract, respiratory, of patients with congestive heart failure living in subtropical climate, influence of variations in atmospheric temperature and humidity on rates of water and heat loss from (Burch), 190
- Transient ventricular fibrillation (Zimdahl and Fulton), 117
- Traumatic aneurysms of extremities, 407*
- Treatment, thiouracil, of angina pectoris, disadvantages of (DiPalma and Ma-Govern), 494
- Trench foot, clinical picture and treatment of later stage of (Abramson et al.), 52
- Tricuspid insufficiency, parasternal leads in (Ellis and Brown), 364
- Tuberculosis, effect of, on heart weight (II); heart weight, 674*
- Tumor, mediastinal, associated, pain of unusual duration due to progressive coronary occlusion with (Donovan), 786
- Typhoid vaccine, cardiac enlargement in fever therapy induced by intravenous injection of, 271*

U

- Ulcers, leg, chronic, lumbar sympathectomy for, 405*
- Ulcers—Cont'd
- of extremities associated with vascular disorders, clinical evaluation of powdered human blood cells in treatment of (Anderson et al.), 754
- Unilateral renal hypertension, present status of, 130*
- Unipolar electrocardiographic leads, theory of, Einthoven's triangle, and interpretation of precordial electrocardiogram (Wilson et al.), 277
- leads (Wilson et al.), 282
- United States Army, rheumatic fever and rheumatic heart disease in North African and Mediterranean Theater of Operations (Bland), 545
- Upper extremities, neurovascular syndrome as manifested in (Paull), 32

V

- Valsalva's experiment, intravascular and extravascular pressure in, 801*
- Valvulitis, syphilitic, calcified, aortic stenosis due to, 403*
- Variations, potential, of right auricular and ventricular cavities in man (Hecht), 39
- Varicose veins, cure of, 125*
- Varicosities of lower extremity, 810*
- Vascular disorders, clinical evaluation of powdered human blood cells in treatment of ulcers of extremities associated with (Anderson et al.), 754
- failure, peripheral, abnormal biochemical changes in patients with severe, acute medical illnesses with and without: medical shock, 132*
- spasm, intermittent claudication and; I. Is vascular spasm contributory cause of intermittent claudication in patients with structural disease of arteries? 670*
- Vascularization of aorta, studies on; I. Vascularization of aorta in normal dog (Schlichter), 770
- Vector cardiac, construction of (Hill), 72
- Veillonella gazogenes*, refractory case of subacute bacterial endocarditis due to, clinically arrested by combination of penicillin, sodium para-aminohippurate, and heparin (Loewe et al.), 327
- Veins, innervation of: its role in pain, venospasm, and collateral circulation, 671*
- varicose, cure of, 125*
- Velocity of blood flow in normal pregnant women (Manchester and Loube), 215
- Vena cava, inferior, or iliac veins, ligation of; report of 136 operations, 807*

- Venous, arterial and, pressures of normal subjects, effects of ingestion of large amounts of sodium chloride on (Grant and Reichsman), 704
 obliteration, collateral channels in, 807*
 pressure, clinical studies on; 1. Technique: venous pressure in normal individuals, 804*
 pulse and its graphic recording, 676 (B. Rev.)
 Ventricular aneurysm, longevity with; report of case with survival period of fifteen years, 402*
 cavities, right auricular and, in man, potential variations of (Hecht), 39
 fibrillation, transient (Zimdahl and Fulton), 117
 septal defect, demonstration of, by means of right heart catheterization (Baldwin et al.), 152
 tachycardia, paroxysmal, followed by electrocardiographic syndrome (Smith), 257
 orthostatic (Peters and Penner), 645
 Vitamin B, parâteral, as agent for determining arm-to-tongue circulation time; Part I (Swenson), 612

W

- Water and heat loss from respiratory tract of patients with congestive heart failure living in subtropical climate, influence of variations in atmospheric temperature and humidity on (Burch), 190

Water and heat loss—Cont'd

- rates of, from respiratory tract of patients with congestive heart failure who were from subtropical climate and resting in comfortable atmosphere (Burch), 88

- White subjects, two hundred, three hundred Negro and, persistence of juvenile pattern in precordial leads of healthy adult Negroes, with report of electrocardiographic survey on (Littmann), 370

- Wolff-Parkinson-White syndrome (Littmann and Tarnower), 100

- notes on similarity of QRS complex configurations in (Burch and Kimball), 560

- Wounds, penetrating, of heart, electrocardiographic patterns in (Noth), 713

Y

- Young adults, hypertrophy of heart of unknown etiology in; report of four cases with autopsies (Norris and Pote), 599

